



Foldable Timber Clothes Dryer Assembly Manual




Welcome!

Before you begin, make sure you have 30 minutes to dedicate to assembling this product. We recommend you to do the assembly on a carpet. Doing it with another person makes the process easier.


To begin, we are going to sort out all pieces by type. Align them on the floor as you go through it. First, there is a bag of screws and a screwdriver. Make sure you save these. You will use them at the very end.









The rest is made of pieces of wood, all different. There are four types of dowels:



There are also many bars. Some of them have large holes going through (black dots).




Excellent! Now we will start the assembly. We will begin laying out one side on the floor, then we will add the dowels:




Take the remaining bars and place them on top, aligning all dowels with the holes. You will have to gently seat the bar onto the dowels by bumping it with your fist, or use a hammer with a soft layer, such as a towel, on top of the bar.

Start fitting the dowel on one end, then work your way through to the other end. If you have someone helping, we recommend having one person bumping the bar into place while the other keeps the rest of the dowels aligned.

Take your time, as this can be a little tricky:







You can now screw the dryer together.

Start with the bar holding the latch, aligning the holes in the bar with the holes in the beam as described below.

Then, screw the rest of the structure. Start with one side. One person can hold on to the dowel while the other screws it in. Ensure the screws firmly seat the bar onto the dowels. Then turn the structure over, and do the same on the other side :



The dryer is ready for use.
Congratulations! Enjoy!

To Stand Up Position:

- In stand up position, engage safety latch slots onto the bar. Ensure that both are engaged.

To Fold Down Position:

- Release safety latches, then slowly fold the dryer.

Note: Some initial stiffness may occur with timber when standing up and folding down, this will ease with use.

If you have any comments, feedback, contact us at info@ecodri.co.nz.