



# Foldable Timber Clothes Dryer Assembly Manual




Welcome!

Before you begin, make sure you have 1 hour to dedicate to assembling this product. We recommend you to do the assembly on a carpet. Doing it with another person makes the process easier.


To begin, we are going to sort out all pieces by type. Align them on the floor as you go through it. First, there is a bag of screws and a screwdriver. Make sure you save these. You will use them at the very end.




The rest is made of pieces of wood, all different. There are three types of dowels:




There are also many bars. Three of them have large holes going through (black dots):



Three other bars are similar to the ones above, but have no large holes going through:




The last bars are short safety latches that will secure the structure when standing :




Excellent! Now we will start the assembly. We are going to build 6 separate parts that we will add together at the end.

We will begin with the short end. To assemble it, you will have to gently seat the bar onto the dowels by bumping it with your fist, or use a hammer with a soft layer, such as a towel, on top of the beam. You will use this method throughout the assembly process. Follow these steps :




Nice! Put this part aside.

Now we will build the "long end". The steps are similar. This time, there are four dowels to fit in. To do so, start fitting the dowel on one end, then work your way through to the other end. If you have someone helping, we recommend having one person bumping the bar into place while the other keeps the rest of the dowels aligned :




Put this part aside.

The next three parts are middle sections. They are identical. To build them, follow these steps :




Then repeat the process two times to end up with three “middle” parts:




Good! 5 parts done, one to go.

This part is the last one. It is very similar to the three parts you have made earlier, but we are now adding in the safety latches. Follow these steps :





Great! All parts are ready. In front of you, you now have :




In the final step, we are going to assemble all parts, building the right side of the arch first, followed by the the left side, eventually putting them together.


Here is how to build the right side:



3




4






5




Excellent! We will now build the left side:

1







2




3





4




5



We can now put both sides together:



You can now screw the dryer together. Start with one side. One person can hold on to the dowel while the other screws it in. Ensure the screws firmly seat the bar onto the dowels. Then fold up the structure, turn it over, open it up, and do the same on the other side :



The dryer is ready for use. Congratulations! Enjoy!

### **To Stand Up Position:**

- Place dryer on floor with safety latch “caution” stamp pointing to the floor.
- Hold the bars directly next to where the safety latch connect.
- Raise the clothes dryer to stand up position, unfolding the structure as you go.
- Once in stand up position, engage safety latch slots onto the bar. Ensure that both are engaged.

### **To Fold Down Position:**

- Release safety latch, then slowly fold the dryer.

*Note: Some initial stiffnes may occur with timber when standing up and folding down, this will ease with use.*

If you have any comments, feedback, contact us at [info@ecodri.co.nz](mailto:info@ecodri.co.nz).

The team at Ecodri